



SECTION 1: Identification

1.1. Identification

Product form : High Performance Air Barrier Tape
Trade name : Seam Tape
Product code : NS-BST

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Drainage panels for foundations

1.3. Supplier

Supplier:

US Company Name

US Address

US telephone number

Manufacturer:

NaturaSeal Distribution Inc.

960 Edgeley Blvd. Unit #4

Vaughan, ON L4K 4V4 - Canada

1905 827 7221

1.4. Emergency telephone number

Emergency number : 1-855-797-SEAL (24hrs) (1-855-797-7325) Please provide an emergency number available to the US along with hours of operations.

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

OSHA/HCS status : This product is exempt from hazard classification according to OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 3: Composition/Information on ingredients

3.1. Substance / mixture

Article

3.2. CAS number

Not applicable

This product is an Article under the Hazardous Products Regulations (HPR) in Canada. Therefore, it is EXEMPTED from the regulatory requirements under WHMIS 2015.

This product is an Article under the United States Hazard Communication System. Therefore, it is EXEMPTED from the regulatory requirements under HCS.

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measured

4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

First-aid measures after skin contact : Wash with soap and water. If signs/symptoms develop, get medical attention.

First-aid measures after eye contact : Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

First-aid measures after ingestion : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

BST SEAM TAPE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

Hazardous Decomposition or : Substance
By-Products Carbon monoxide
Carbon dioxide

5.3. Special protective actions for fire-fighters

No unusual fire or explosion hazards are anticipated.

SECTION 6: Handling and storage

6.1. Precautions for safe handling

This product is considered to be an article which does not release or otherwise result in exposure to a hazardous chemical under normal use conditions.

SECTION 7: Exposure controls/personal protection

7.1. Control parameters

Occupational exposure limits : No occupational exposure limit values exist for any of the components listed in Section 3 of this SDS.

7.2. Engineering controls

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

7.3. Personal protective equipment (PPE)

Eye/face protection

Safety eyewear complying with an approved standard should be used.

Skin/hand protection

Chemical resistant, impervious gloves complying with an approved standard should be worn at all times.

Respiratory protection

Respiratory protection is not required.

SECTION 8: Physical and Chemical Properties

8.1. Information on basic physical and chemical properties

General Physical Form : Solid
Odour, Colour, Grade : White
Solubility in Water : Nil

SECTION 9: Stability and reactivity

9.1. Reactivity

This material is considered to be non reactive under normal use conditions.

9.2. Chemical stability

Stable.

9.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

9.4. Incompatible materials

Reactive or incompatible with the following material: oxidizing materials.

9.4. Hazardous decomposition products

Refer to section 5.2 for hazardous decomposition products during combustion.

Under recommended usage conditions, hazardous decomposition products are not expected. Hazardous decomposition products may occur as a result of oxidation, heating, or reaction with another material.

BST SEAM TAPE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



SECTION 10: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

10.1. Information on toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

No health effects are expected.

Skin Contact:

No health effects are expected. Contact with the skin during product use is not expected to result in significant irritation.

Eye Contact:

No health effects are expected. Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion:

No health effects are expected.

Additional Information:

This product, when used under reasonable conditions and in accordance with the 3M directions for use, should not present a health hazard. However, use or processing of the product in a manner not in accordance with the product's directions for use may affect the performance of the product and may present potential health and safety hazards.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall Product	Ingestion		No data available; calculated ATE > 5,000 mg/kg

ATE = Acute Toxicity Estimate

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 11: Disposal considerations

11.1. Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 12: Transport information

Not regulated per U.S. DOT, TDG, IATA or IMDG.

12.1. Special precautions for user

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

BST SEAM TAPE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



SECTION 13: Regulatory information

13.1. US Federal Regulations

Contact NaturaSeal for more information.

311/312 Hazard Categories:

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - No Delayed Hazard - No

13.2. State Regulations

Contact NaturaSeal for more information.

13.3. Chemical Inventories

This product is an article as defined by TSCA regulations, and is exempt from TSCA Inventory listing requirements.
Contact NaturaSeal for more information.

13.4. International Regulations

Contact NaturaSeal for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 14: Other Information

NFPA Hazard Classification

Health: 0 **Flammability:** 1 **Instability:** 0 **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Document Group: N/A
Issue Date: 24/10/25

Version Number: 2
Supersedes Date: 14/09/23

DISCLAIMER

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. NATURASEAL MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANT ABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the NaturaSeal product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a NaturaSeal product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the NaturaSeal product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

NaturaSeal provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, NaturaSeal makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from NaturaSeal.